Claim Amendments

- 1. (currently amended) A computer implemented method for automatically uninstalling a software application resident on at least one computer terminal in a network, the method comprising:
 - identifying the steps required to uninstall <u>an instance of</u> the software application resident on a model computer;
 - generating a self-executing <u>standalone</u> uninstall package from the information obtained in the identifying step, said self-executing uninstall package adapted to automatically remove the software application from the at least one computer terminal; <u>and</u>
 - transmitting the self-executing uninstall package to the at least one terminal, whereupon the self-executing uninstall package will automatically removes the software application from the at least one computer terminal.
- 2. (currently amended) The computer-implemented method of claim 1, wherein the self-executing uninstall package is generated by executing the steps of:
 - removing the software application from the model computer by using a corresponding uninstall program having a plurality of executable uninstall options, wherein said uninstall program is adapted to interface with a user in order to select which of the plurality of executable uninstall options are to be executed;
 - recording the uninstall options selected from the plurality of executable uninstall options within the uninstall program; <u>and</u>
 - generating the self-executing uninstall package from the recorded selected uninstall options within the uninstall program.
- 3. (currently amended) The computer-implemented method of claim 1, wherein the self-executing uninstall package is generated by executing the steps of: installing the software application on a the model computer; maintaining a record of the software application's install-time activities on the
 - model computer; and

- generating the self-executing uninstall package from the record of the software application's install-time activities.
- 4. (currently amended) The computer implemented method of claim 1 wherein the self-executing uninstall package contains a minimum number of run-time components required for removal of the software application from the at least one computer terminal.
- 5. (currently amended) The computer implemented method of claim 1 wherein the transmitting step includes:
 - identifying at least one specific computer terminal from which the software application will be removed; and
 - transmitting the self-executing uninstall package solely to the at least one specific computer terminal, whereupon the self-executing uninstall package executes itself and removes the software application.
- 6. (currently amended) The computer implemented method of claim 3 <u>1</u> further comprising the steps of:
 - maintaining a record of the model computer's file system prior to installation of the software application;
 - installing the software application and subsequently executing the selfexecuting uninstall package on the model computer;
 - verifying that the self-executing uninstall package completely removed all files

 and registry entries associated with the software application by

 comparing the model computer's resulting file system to the

 maintained pre-installation record of the model computer's file system;

 and
 - modifying the self-executing uninstall package <u>if necessary</u> so that the model computer's file system after executing the self-executing uninstall package is equivalent to the maintained pre-installation record of the model computer's file system.

- 7. (currently amended) An aApparatus in a model computer for automatically uninstalling a software application resident on at least one computer terminal in a network, the apparatus comprising:
 - a detection module adapted to identify, by means of using a model computer

 as a test bed, all the removal steps required to uninstall the software

 application from the at least one computer terminal;
 - a generation module adapted to create a self-executing <u>standalone</u> uninstall package from the identified removal steps in the detection module, said <u>self-executing</u> uninstall package adapted to remove the software application from the at least one computer terminal; and
 - a transmission module adapted to transmit the self-executing uninstall package to the at least one computer terminal, whereupon the self-executing uninstall package automatically executes itself and removes the software application.
- 8. (currently amended) The apparatus of claim 7 wherein the generation of the self-executing uninstall package further comprises:
 - an uninstall program, resident on the model computer, containing a plurality of executable uninstall options corresponding to the removal of the software application, said uninstall program adapted to interface with a user in order to select which of the plurality of executable uninstall options are to be executed; wherein
 - the detection module being is further adapted to record the uninstall program's selection of the executable uninstall options from the plurality of executable uninstall options; and
 - the generation module being <u>is</u> further adapted to generate the self-executing uninstall package from the recorded selection of executable uninstall options by the uninstall program.
- 9. (currently amended) The apparatus of claim 7 wherein the generation of the self-executing uninstall package further comprises:
 - the detection module being is further adapted to record the software application's install-time activities during installation on the model

- <u>computer</u> and identify the removal steps required to remove the software application; and
- the generation module being is further adapted to create the self-executing uninstall package from the identified removal steps in the detection module.
- 10. (currently amended) The apparatus of claim 7 wherein the self-executing uninstall package contains a minimum set of run-time components required to uninstall the software application.
 - 11. (currently amended) The apparatus of claim 9 7 further comprising wherein: the model computer maintaining maintains a first record of the file system and registry prior to the installation of the software application;
 - the self-executing uninstall package removing removes the software application from the model computer;
 - the model computer <u>creating creates</u> a second record of the file system and registry after the software application is removed;
 - a verification module adapted to compare compares the first record of the file system and registry to the second record of the file system and registry; <u>and</u>
 - the generation module further adapted to modify modifies the self-executing software application uninstall package if necessary to ensure that both records of the model computer's file system and registry are equivalent after the software application is removed.
 - 12. (currently amended) A computer program product comprising:
 - a computer usable medium having computer readable code embodied therein for causing the removal of <u>a</u> software applications resident on a plurality of <u>at least one</u> computer terminals on a network, the computer program product including:
 - a computer readable program code device configured to cause a computer to effect the identification of the steps required to remove the software application from a model computer;

- a computer readable program code device configured to cause a computer to effect the generation of an automatically self-executing standalone uninstall package from the identified steps required to remove the software application from at least one computer terminal on the network; and
- a computer readable program code device configured to cause a computer to effect the transmission of the self-executing uninstall package to the at least one computer terminal whereupon the self-executing uninstall package will execute executes itself and removes the software application from the at least one computer terminal.
- 13. (currently amended) The computer program product of claim 12 wherein the generation of the self-executing uninstall package further comprises:
 - a computer readable program code device configured to cause a computer to effect the removal of the software application from the model computer by using a corresponding uninstall program having a plurality of executable uninstall options, said uninstall program adapted to interface with a user in order to select which of the executable uninstall options is are to be executed;
 - a computer readable program code device configured to cause a computer to effect the monitoring of the selection of the executable uninstall options; and
 - a computer readable program code device configured to cause a computer to effect the generation of the self-executing uninstall package from the selection of the executable uninstall options.
- 14. (currently amended) The computer program product of claim 12 wherein the generation of the self-executing uninstall package further comprises:
 - a computer readable program code device configured to cause a computer to effect the maintenance of a record of the software application's install-time activities on the model computer; and

- a computer readable program code device configured to cause a computer to effect the generation of the self-executing uninstall package from the maintained record of the software application's install-time activities.
- 15. (currently amended) The computer program product of claim 12 wherein comprising a computer readable program code device is configured to cause a computer to effect the self-executing uninstall package to contain a minimum set of runtime components required to remove the software application from the at least one computer terminal.